




PLAT OF LAND
FOR
CLYDE P. & LYNDY N. DRISCOLL
IN
SEABROOK, N.H.
SCALE: 1"=50' OCTOBER, 1977
PARKER SURVEY ASSOC., INC.
EXETER & SEABROOK, N.H.





- NOTE 1: SEE "PLAN OF LAND IN SEABROOK, N.H. AS SURVEYED FOR W.R. SANBORN & SHIRLEY E. SANBORN SCALE: 1"=50' OCT. 1957 SURVEY BY CHAS. W. MORSE & SON HAVERHILL, MASS.
- NOTE 2: SEE "PLAN OF LAND SEABROOK, N.H. FOR W.E. SANBORN SCALE 1"=100' MAY 1968 A.K. PARKER JR. SURVEYOR WASHINGTON ST. SEABROOK, N.H. PLAN # 3351
- NOTE 3: SEE N.H. HIGHWAY PLAN SHEET 17 OF 71

- NOTE 4: SEE "PLAT OF LAND FOR GUY M. & MABEL L. SANBORN IN SEABROOK, N.H. SCALE: 1"=50' OCTOBER, 1977 PARKER SURVEY ASSOC. INC. EXETER & SEABROOK, N.H. PLAN # 3353



SITE PLAN
FOR
CLYDE DRISCOLL
IN
SEABROOK, N.H.

SCALE: 1"=20' MARCH 1976 REVISED APRIL 1976
PARKER SURVEY ASSOC., INC.
SEABROOK, N.H.



B.M. 100.0 ASSUMED SET R.R. SPIKE
1' UP IN 16" PINE



NOTE: SEE PLAN OF LAND IN SEABROOK, N.H.
AS SURVEYED FOR W.A. SANBORN
SHIRLEY E. SANBORN SCHUBERT & SON
OCT. 1957 SURVEY BY CHAS. H. WATKINS
WINNHILL, MASS.

LOT AREA: 1 1/2 ACRES ±

KEY: 99.5 EXISTING ELEVATION
99.0 PROPOSED ELEVATION
→ PROPOSED DRAINAGE

NOTE: GARBAGE DISPOSALS
NOT RECOMMENDED.

SEE DESIGN ON PLAN
FOR INVERTS & SIZE



PLOT PLAN
(1" = APPROX 100')

CROSS SECTION DISPOSAL
SYSTEM
(NOT TO SCALE)

DESIGN: BUILDING 9 ONLY
4 EMPLOYEES @ 15 GALS/DAY EACH = 90 GPD
FLOOR DRAINS = 300 GPD
USE 1000 GAL S.T.
5 MIN/IN = 115.5" PER 100 GPD =
5.1 IN/5" = 72.5" PER A
MIN 500 GPD SYSTEM
USE 2.5' x 30' = 750 SF
LEACH FIELD.

SOIL TYPE: Ha
SEE ROCKINGHAM COUNTY
SOIL BOOK SHEET 51

PERCOLATION TEST DATA
DATE TEST CONDUCTED: 3/12/76
RESULTS: 3 min/IN
SAME PERC IN BOTH HOLES

HOUSE
LEACH BED REQUIREMENTS
PERCOLATION RATE: 3 min/IN
AREA REQUIRED PER
BEDROOM: 80. FT
NUMBER OF BEDROOMS: 2
* = 430 REQUIRED

LEACH BED SIZE: 20 x 25
= 500 SF PROVIDED.

KEY:
ORIGINAL CONTOUR
ORIGINAL SPOT ELEV. (91)
PROPOSED CONTOUR

NOTE:
NO SURFACE WATER
OR WELLS WITHIN 75'
OF LEACH FIELD.


TEST PIT # DATE: 3/12/76

96.9	TOP SOIL 0-5	22 DEPTH OF PERC
94.7	MED	2.5 EST S.H.W.T.
94.4	SAND	3.5 OBS H ₂ O
91.4	DEPTH 5.5	5.5 (EST. NO LEDGE TO 10')

B.M.: 10000 ASSUMED SET R.R. SPIKE 1' UP IN 16" PINE.

NOTE: @ TEST PIT INSPECTED BY G. MINNICK
@ AND SURFACE H₂O WITHIN 75' OF L.F.S

SITE PLAN
(NOT TO SCALE)



SEWER DESIGN FOR
LAFAYETTE ROAD
SEABROOK, N. H.

SCALE: 1" = 20'

OWNER: CLYDE DRISCOLL
426 HIGH STREET
HAMPTON, N. H.
APPLICANT: PARKER SURVEY ASSOC., INC.
SEABROOK, N. H.

DATE: 6/14/76 app# 54796

2038

NOTE:
THIS PLAN IS NOT TO BE
CONSTRUED AS A LOT SURVEY.
FOR WATER POLLUTION PURPOSES
ONLY.
ALSO
SEE APPROVAL SLIP FOR ANY
CONDITIONS OR REVISIONS.

NOTE: PERC TEST
RESULTS & SOIL CROSS
SECTIONS THE SAME
IN FRONT & REAR TESTS

Command= 210-


Point#, Start#-End# or G#= 1-100

Bearing	Distance	Elev	Descrip	Pnt.	Northing	Easting	Type
-----08-26-2023-----11:18:43-----D:...\BMTHIRD							
	100.00		NIL	1	5000.0000	5000.0000	
	101.75		CORBLD	2	4907.8999	5203.6633	
	102.57		@BLDG	3	4966.7482	5219.6878	SS
	102.12		CORBLD	4	4983.0316	5152.5794	SS
	100.39		CLDR	5	4966.6905	5110.9581	SS
	100.11		FNC	6	4918.1153	5085.7125	SS
	100.01		GND	7	4945.2740	5059.5401	SS
	99.74		DUMPSTER	8	4955.4031	5015.3971	SS
	99.59		FNC	9	4944.0951	4991.4828	SS
	100.35		CLDR	10	4989.3720	5039.1739	SS
	100.72		BLD@BAY	11	5001.1914	5083.0115	SS
	101.02		TOPSILL	12	5017.6126	5035.6016	SS
	101.17		CLDOORSL	13	5019.0336	5015.6004	SS
	102.67		BTSD2.2U	14	5021.1238	5007.1780	SS
	101.65		CORBLD	15	5059.9927	5017.4894	SS
	103.04		FNCTSAWA	16	5071.1460	5020.3168	SS
	99.53		BS	17	5031.0162	4978.1149	SS
	102.06		FNC	18	5091.5842	4944.1120	SS
	102.34		CORHSE	19	5074.4809	4951.3718	SS
	101.87		TS	20	5058.1463	4968.9020	SS
	102.30		CORHSE	21	5052.7599	4945.5058	SS
	100.57		BIRCH	22	5026.8495	4940.1134	SS
	101.66		TSLF	23	5017.4512	4928.3444	SS
	102.36		TSLF	24	5018.9653	4906.7592	SS
	102.97		CORHSE	25	5062.5312	4906.3712	SS
	102.68		CORDECK	26	5044.0691	4938.8686	SS
	101.21		BMNL8P	27	5018.7125	4875.9231	SS
	102.01		+5TOFNC	28	5032.8464	4880.1391	SS
	102.65		BMNLMAP	29	5061.0519	4965.9607	SS
	99.97		FNC	30	4961.1346	4931.7849	SS
	99.37		CLCL	31	4992.1156	4978.3297	SS
	100.34		CORFNC	32	4981.0248	4862.0994	SS
	99.43		FNC	33	4953.9125	4958.0064	SS
	100.85		EP	34	5140.6980	4940.9683	SS
	104.23		PADCORPC	35	5099.0980	4990.9547	SS
	104.19		PADPCH	36	5089.2054	5025.5418	SS
	101.31		CORPAV	37	5132.9768	4916.3860	SS
	100.22		+22TOTS	38	5044.4544	4855.6606	SS
	100.25		CLRD	39	5020.2702	4853.7379	SS
	99.97		EDGRD	40	4976.1589	4847.0267	SS
	99.59		EDGRD	41	4972.9721	4825.8853	SS
	100.18		WOODS	42	4944.0604	4904.8912	SS
	100.30		EDGWDS	43	4922.9677	4891.5549	SS
	100.09		WDS	44	4923.0513	4925.3483	SS
	99.94		WDS	45	4914.2527	4954.6524	SS
				46	4843.1487	5352.1531	TRA

JOB #12 171benoit [100]

Bearing	Distance	Elev	Descrip	Pnt.	Northing	Easting	Type
-----08-26-2023-----				11:18:43	-----D:...\BMTHIRD		
				47	5106.6103	4895.4173	TRA
				48	4976.5613	5379.1715	TRA
				49	4784.3014	5985.6256	INT

Point#, Start#-End# or G#= 4-





No.	Delta	Radius	Arc Length	Chord Length	Chord Bearing
C1	12°16'57"	636.20	136.38	136.12	S11°26'55" W

JOB 171 BENoit
SEABROOK
BMTHIRD JOB 12
ACAD\DWG
171BEN

43
104
Wasy
Bedford
800 562 3936

PLAT OF LAND
FOR
CLYDE P. & LYNDIA N. DRISCOLL
IN
SEABROOK, N.H.
SCALE: 1"=50' OCTOBER, 1977
PARKER SURVEY ASSOC., INC.
EXETER & SEABROOK, N.H.




NOTE 1: SEE "PLAN OF LAND IN SEABROOK, N.H. AS SURVEYED FOR W.R. SANBORN & SHIRLEY E. SANBORN SCALE: 1"=50' OCT. 1957 SURVEY BY CHRIS. H. MORSE & SON HAVENHILL, MASS.

NOTE 2: SEE "PLAN OF LAND SEABROOK, N.H. FOR W.E.S. SANBORN SCALE 1"=100' MAY 1948 R.N. PARKER JR. SURVEYOR WASHINGTON ST. SEABROOK, N.H. PLAN #541

NOTE 3: SEE N.H. HIGHWAY PLAN SHEET 17 OF '71


NOTE 4: SEE "PLAT OF LAND FOR GUY M. & MABEL L. SANBORN IN SEABROOK, N.H. SCALE: 1"=50' OCTOBER, 1977 PARKER SURVEY ASSOC. INC. EXETER & SEABROOK, N.H. PLAN #3353





3395

SITE PLAN
FOR
CLYDE DRISCOLL
IN
SEABROOK, N.H.

SCALE: 1"=20' MARCH 1976 REVISED APRIL 1976
PARKER SURVEY ASSOC., INC.
SEABROOK, N.H.



NOTE: GARBAGE DISPOSALS NOT RECOMMENDED. SEE DESIGN ON PLAN FOR INVERTS & SIZE



PLOT PLAN
(1" = APPROX 100')

CROSS SECTION DISPOSAL SYSTEM
(NOT TO SCALE)

DESIGN: BUILDING 9 ONLY
6 EMPLOYEES @ 15 GALS/DAY EACH = 90 GPD
FLOOR DRAINS = 300 GPD
USE 1000 GAL S.T.
5 MIN/IN = 195' PER 100 GPD = 58195 = 725' FOR A MIN 500 GPD SYSTEM
USE 23' x 30' = 750' LEACH FIELD.

SOIL TYPE: Ha
SEE ROCKINGHAM COUNTY SOIL BOOK SHEET 51

PERCOLATION TEST DATA
DATE TEST CONDUCTED: 3/12/76
RESULTS: 3 min/in
SAME PERC. IN BOTH HOLES

HOUSE
LEACH BED REQUIREMENTS
PERCOLATION RATE: 3 min/in
AREA REQUIRED PER BEDROOM: 80 SQ. FT.
NUMBER OF BEDROOMS: 2
* = 430' REQUIRED
LEACH BED SIZE: 20' x 25' = 500' PROVIDED.

TEST PIT DATE: 3/12/76


96.7	TOP SOIL 0-5
94.7	RED 22' DEPTH OF PERC.
94.4	RED 25' EST. S.H.W.T.
93.4	SAND 35' OBS. H ₂ O

DEPTH: 5.5' (EST. NO LEDGE TO 10')
B.M.: 10000 ASSUMED SET R.R. SPIKE 1' UP IN 16" PINE.
NOTE: 1 TEST PIT INSPECTED BY G. MINNICK
2 NO SURFACE H₂O WITHIN 75' OF L.F.S.

KEY:
ORIGINAL CONTOUR
ORIGINAL SPOT ELEV. (91)
PROPOSED CONTOUR

NOTE:
NO SURFACE WATER OR WELLS WITHIN 75' OF LEACH FIELD.

SITE PLAN
(NOT TO SCALE)



SEWER DESIGN FOR
LAFAYETTE ROAD
SEABROOK, N. H.

SCALE: 1" = 20'

OWNER: CLYDE DRISCOLL
426 HIGH STREET
HAMPTON, N. H.
APPLICANT: PARKER SURVEY ASSOC. INC.
SEABROOK, N. H.

DATE: 6/14/76
APP# 54796
2038

NOTE:
THIS PLAN IS NOT TO BE CONSTRUED AS A LOT SURVEY FOR WATER POLLUTION PURPOSES ONLY.
ALSO
SEE APPROVAL SLIP FOR ANY CONDITIONS OR REVISIONS.

NOTE: PERC TEST RESULTS & SOIL CROSS SECTIONS THE SAME IN FRONT & REAR TESTS